




100	Planing bed	286×500	146	Washer	φ 8
101	Lock bar screw	M6×11	147	Hexagon head screw	M8×80
102	Lockbar		148	Pin roll	M8×16
103	Clamping sleeve for lock bar	5×6	149	Pan head screw	M4×8
104	Set screw	M6×8	150	Thickneser bed scale	
105	Planer blade	20×3×260/18.6×1×260	151	Shim ring	8×14×1.0
106	Cutter block	63×440	152	Spindle bush	φ 16×10
107	Side panel		153	Shim with hole 12.1	22×22
108	Pan head screw	M5×12	154	Chain sprocket Z=15 T=6	
109	Square washer		155	Roller chain pitch 6 210 links	
110	Hexagon nut	M8	156	Drive chain protection plate	1.5×259×415
111	Hex. socket head cap screw	M6×28	157	Washer	φ 6
112	Washer	10	158	Setting bracket	2×52×48
113	Pin roll	4×10	159	Guide rail, left	4×22×190
114	Clamping sleeve	4×16	160	Guide screw	M6×8
115	Screw hex HD	M6×12	161	Guide rail, right	
116	Star knob		162	Chip ejection hood extrusion	258
117	Washer	23×10.2×0.9	163	Pan head tapping screw	St 4.8×13
118	Set collar	φ 11	164	Recoil lock segment	
119	Threaded rod	450	165	Recoil lock bar	φ 6×286
120	Hex socket head cap screw	M6×16	166	Recoil lock bar	φ 10.70×286
121	Spacer strip	4×22×190	167	Hexagon head screw	M8×80
122	Hex. socket head cap screw	M6×12	168	Chip guide plate	
123	Hex. socket head cap screw	M8×16	169	Spacer shaft	20×295
124	Countersunk head screw	M6×12	170	Chain tension sprocket Z=15 T=6	
125	Cover rail	4×25×180	171	Hexagon nut	M6
126	Disk spring	16.0×8.2×0.6	172	Threaded bolt	13×22
127	Pan head crosses screw	M4×30	173	Chain tension plate	2.5×25×84
128	Crank handle		174	Chip ejection hood	100mm/4"diame
129	Torque nut	M6	175	Hex. socket head cap screw	M8×25
130	Thickneser bed adjusting spindle	T14×3×365	176	Crossed pan screw	M5×8
131	Thickneser bed spindle	T14×3×228	177	Hex. socket head cap screw	M8×25
132	Grooved dowel pin	3×16	178	Chip ejector hood	ABS
133	Hexagon head screw	M6×80	179	Spacer shaft	
134	Glide piece		180	Safety switch	
135	Washer	φ 12	181	Spring	
136	Feed roller, smooth		182	Cone cover	
137	Spacer shaft w/tapped hole	φ 20×295	183	Switch flat	
138	Feed roller, coarse		184	Screw	M6×8
139	Pan head crossed screw	M4×10	185	Cam	
140	Set screw	M5	186	baffle	
141	Check nut	T 14×3	187	Safety switch support	
142	Thickneser bed w/pointer		188	Block	
143	Clamp		189	Hex nut	M4
144	Shim with hole 8.1	22×22	190	Pan head crossed screw	M5×8
145	Pressure spring		200	Fence extrusion end cap, right	

201	Fence segment		247	Chain tensioner	4×20×90
202	Glide segment		248	Roller chain pitch 8 74 links	
203	Hexagon head screw	M8×50	249	Chain sprocket Z=10 T=8	
204	Fence extrusion	600	250	Threaded bolt	Φ 14×20
205	Carriage bolt	M6×20	251	Bolt, short	Φ 20×64.5
206	Fence extrusion end cap, left		252	Bolt, long	Φ 20×87
207	Guard extrusion	80×360	253	Ring retaining	Φ 8
208	Guard extrusion clamping lever		254	Ring retaining	16×1.0
209	Cap nut	M8	255	Shim ring	16×22×1.0
210	Guard support		256	Flat belt	
211	Guard extrusion end cap		257	Flat belt pulley	
212	Pan head tapping screw	St 3.5×13	258	Cam wheel Z=25 T=38	
213	Side panel lid	1.8×30×153	259	Disk spring	34.0×12.3×1.0
214	Pan head screw	M4×8	260	Hexagon nut	M12×1.25
215	Drive belt cover		261	Drill chuck cover	
216	Washer	Φ 8	262	Thickneser driver gear cover	
217	Ratched lever	M8	263	Cap nut	M6
218	Plastic washer	Φ 20× Φ 8×6	264	Hexagon nut	M14×1.5
219	Fence carrier		265	Hex. socket head cap screw	M10×16
220	Guide segment		300	Spacer bush	Φ 6/ Φ 15×18
221	Nylon hexagon head screw	M6×16	301	Washer	B6.4
222	Washer	Φ 4	302	Switch	
223	Pan head screw	M4×8	303	Hexagon head bolt	M8×16
224	Fence cover plate	1.5×190×190	304	Side panel , neutral	
225	PVC pressure spring		305	Hexagon head bolt	M6×40
226	Guard setting lever		306	Washer	Φ 8
227	Hex. screw	M10×16	307	Blind rivet	5×8
228	Pressure plate		308	Front panel	
229	Setting rod, cogged, hexagonal	SW 14×285	309	Poly-V-belt	5 PJ 864
230	Gear cover		310	Hexagon head screw	M8×20
231	Countersunk head screw	M6×20	311	J-belt pulley 50 Hz	5J×90
232	Shim ring			J-belt pulley 60 Hz	5J×80
233	Lock lever, right		312	Feather key	A 6×30
234	Lock lever, left		313	Hex. socket head cap screw	M6×16
235	J-belt pulley 5J×42		314	Motor carrier	
236	Bearing cup		315	Carriage bolt	M8×16
237	O-ring	Φ 40×2.65	316	Lock-washer	
238	Grooved ball bearing 6203		317	Leg	
239	Guide bar	Φ 10×75	318	Rubber foot shore	Φ 8x Φ 24×2
240	Fence carrier support bracket		319	Motor	
241	Hexagon head screw	M6×20	320	Rear panel	
242	Carriage bolt	M8×40			
243	Drive chain sprocket Z=25 T=38				
244	Pin roll	4×20			
245	Bolt, chain tensioner				
246	Torsion spring				





186